Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	9	hyperlink\$3 near10 explanatory near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 09:22
L5	62	(hyperlink\$3 (hyper adj link\$3)) with (explanat\$3 explain\$3 descriptive) with (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not 1	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 09:35
L6	152	(hyperlink\$3 (hyper adj link\$3)) same (explanat\$3 explain\$3) same (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 09:36
L7	29	(hyperlink\$3 (hyper adj link\$3)) near10 (explanat\$3 explain\$3) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 10:23

L9	23	(hyperlink\$3 (hyper adj link\$3)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR .	ON	2007/08/08 10:29
L10	2	(explanatory adj (note text window)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 10:31
L11	5	(explanatory) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 10:32
L12	48	(explanat\$3 explain\$3) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 10:52

8/8/2007 4:26:02 PM C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son\_10\_531\_652\_case.wsp

Page 2

L15	620	(display\$3 show\$3) near10 (overview summary) near10 (description) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 10:58
L17	0	(display\$3 show\$3) near10 (overview\$3 summar\$5) near10 (description) near10 topic and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 10:59
L18	108	(display\$3 show\$3) near10 (overview\$3 summar\$5) near10 topic and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 12:32
L19	555	(record\$3) near5 sequence near5 access and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 12:47

L20	8	(record\$3) near5 sequence near5 access near5 select\$3 and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR ·	ON	2007/08/08 12:36
L21	25	(record\$3) near5 sequence near5 access near5 user and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 12:37
L22	4	(record\$3) near5 sequence near5 access near5 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 12:38
L23	21	(record\$3) with (sequence near5 access) with order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 12:43

8/8/2007 4:26:02 PM C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son\_10\_531\_652\_case.wsp

Page 4

L24	577	(sequence near5 access) near10 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 12:43
L25	9	(record\$3) near5 sequence near5 access near5 (display\$3 show\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 13:49
L26	95	(display\$3) near10 (access\$3 adj order) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 13:59
L27	445	hyperlink\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 13:59

L28	18	hyperlink\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 14:02
L29	124	display\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 14:03
L30	0	display\$3 near5 (title metadata (meta adj (data information))) near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 14:05
L31	33	display\$3 near5 (information) near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 14:10

L32	17	(record\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 14:47
L33	13	(sav\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/08 14:47
S8	39	topic near10 (division divid\$3 separat\$3) near10 (portion piece part block) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/06 16:45
S17	10	(sub adj topic) near10 (portion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 08:04

S18	7	(topic) near10 (portion) near10 (sequential sequenc\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/06 16:52
S24	33	(divid\$3 division) same (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 09:47
S25	9	link\$3 near5 (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 09:52
S26	4	("5832472" "6442274" "6 539387" "6633316").PN.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 09:56

S27	11	("6633316" "6539387" "6442574" "6243071" "6154750" "5991751" "5832472" "5721910" "5708806" "20020198885" "20020032672").PN.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 10:00
S31	2	S27 and ((sub near topic\$3) subtopic)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 10:28
S32	3	topic near10 (divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 10:32
S34	3	(divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 10:32

S35	46	(divid\$3 division break\$3 broke\$2) same ((sub near topic\$3) subtopic) same (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 10:42
S36	13	(divid\$3 division break\$3 broke\$2) with ((sub near topic\$3) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 10:45
S37	6487	(divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3) article categor\$3) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S36	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 10:46
S38	7	(divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3 article categor\$3)) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S36	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 10:47

S39	2	(hyper adj link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 11:03
S40	4	(hyperlink\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 11:05
S41	35	(hierarch\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 11:16
S43	5	(hypertext near link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 11:28

8/8/2007 4:26:02 PM
C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son\_10\_531\_652\_case.wsp

S44	5	(hypertext near link\$3) with ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 11:29
S45	7	(hypertext near link\$3) same ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 11:29
S47	24	(hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 15:00
S48	17	(hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/08/07 16:12

8/8/2007 4:26:02 PM C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son\_10\_531\_652\_case.wsp Page 12

S49  16 (hyperlink\$3 (hyper not link\$3)) near10 ((explanat\$3 explain\$3 near (note text sentent definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	B;	ON 2007	7/08/08
	USPAT;	08:1	6

8/8/2007 4:26:02 PM C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son\_10\_531\_652\_case.wsp